

SAFETY DATA SHEET

Revision Date 25-Feb-2020

Revision Number 3

1. Identification				
Product Name	Brass spheres			
Cat No. :	45162			
Synonyms	No information available			
Recommended Use Uses advised against Details of the supplier of the safety	Laboratory chemicals. Food, drug, pesticide or biocidal product use. <u>data sheet</u>			
Company Alfa Aesar Thermo Fisher Scientific Chemicals, I 30 Bond Street Ward Hill, MA 01835-8099 Tel: 800-343-0660 Fax: 800-322-4757 Email: tech@alfa.com www.alfa.com	nc.			

Emergency Telephone Number

During normal business hours (Monday-Friday, 8am-7pm EST), call (800) 343-0660. After normal business hours, call Carechem 24 at (866) 928-0789.

2. Hazard(s) identification

Classification

Classification under 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Based on available data, the classification criteria are not met

Label Elements

None required

Hazards not otherwise classified (HNOC)

None identified

3. Composition/Information on Ingredients

Component	CAS-No	Weight %
Copper	7440-50-8	70

Zinc metal		7440-66-6	30	
	4.	First-aid measures		
Eye Contact	Rinse immeo medical atter	liately with plenty of water, also under th tion.	ne eyelids, for at least 15 minutes. Get	
Skin Contact	Skin Contact Wash off immediately with plenty of water for at least 15 minutes. Get medic immediately if symptoms occur. immediately if symptoms occur.			
Inhalation	Remove to fr	esh air. Get medical attention immediat	ely if symptoms occur.	
Ingestion	Clean mouth symptoms or	with water and drink afterwards plenty occur.	of water. Get medical attention if	
Most important symptoms and	None reason	ably foreseeable.		
effects Notes to Physician	Treat symptomatically			

5. Fire-fighting measures

Suitable Extinguishing Media	approved class D extinguishers.
Unsuitable Extinguishing Media	Water may be ineffective
Flash Point Method -	No information available No information available
Autoignition Temperature Explosion Limits	No information available
Upper Lower Sensitivity to Mechanical Impact Sensitivity to Static Discharge	No data available No data available No information available No information available

Specific Hazards Arising from the Chemical

Keep product and empty container away from heat and sources of ignition.

Hazardous Combustion Products

Metal oxides.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

<u>NFPA</u>	Health 0	Flammability 0	Instability 0	Physical hazards -
		6. Accidental rel	ease measures	
Persona	I Precautions	Ensure adequate ventilation formation.	n. Use personal protective equi	ipment as required. Avoid dust
Environ	mental Precautions	Should not be released into	the environment.	

Methods for Containment and Clean Sweep up and shovel into suitable containers for disposal. Avoid dust formation. Up

7. Handling and storage

Handling

Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid contact with skin, eyes or clothing. Avoid ingestion and inhalation. Avoid dust formation.

Storage

Keep in a dry place. Keep away from acids.

8. Exposure controls / personal protection

Exposure Guidelines

Component	ACGIH TLV	OSHA PEL	NIOSH IDLH	Mexico OEL (TWA)
Copper	TWA: 0.2 mg/m ³ TWA: 1	(Vacated) TWA: 0.1 mg/m ³	IDLH: 100 mg/m ³	TWA: 0.2 mg/m ³
	mg/m ³	TWA: 0.1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³
		TWA: 1 mg/m ³	TWA: 0.1 mg/m ³	

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists OSHA - Occupational Safety and Health Administration NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

None under normal use conditions.

Personal Protective Equipment

Eye/face Protection	Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.
Skin and body protection	Wear appropriate protective gloves and clothing to prevent skin exposure.
Respiratory Protection	No protective equipment is needed under normal use conditions.
Hygiene Measures	Handle in accordance with good industrial hygiene and safety practice.

9. Physical and chemical properties

	. Filysical and chemical properties
Physical State	Solid Spheres
Appearance	Copper
Odor	Odorless
Odor Threshold	No information available
рН	Not applicable
Melting Point/Range	No data available
Boiling Point/Range	No information available
Flash Point	No information available
Evaporation Rate	Not applicable
Flammability (solid,gas)	No information available
Flammability or explosive limits	
Upper	No data available
Lower	No data available
Vapor Pressure	No information available
Vapor Density	Not applicable
Specific Gravity	8.53 g/cm3
Solubility	No information available
Partition coefficient; n-octanol/wat	er No data available
Autoignition Temperature	No information available
Decomposition Temperature	No information available
Viscosity	Not applicable

10. Stability and reactivity

Brass spheres						Revision D	ate 25-Feb-2020
Reactive Hazard		None known, ba	None known, based on information available				
Stability		Stable under no	Stable under normal conditions.				
Conditions to Avoid Incompatible products.							
Incompatible Materials Strong oxidizing agents							
Hazardous Decomp	osition Pro	oducts Metal oxides					
Hazardous Polymer	rization	Hazardous poly	merization	does not	occur.		
Hazardous Reaction	ns	None under nor	mal proces	ssing.			
		11. Toxi	cologia	cal inf	ormation		
Acute Toxicity							
Product Information Oral LD50 Dermal LD50 Mist LC50 Component Information		Based on ATE	data, the cl	assificatio		et. ATE > 2000 mg et. ATE > 2000 mg et. ATE > 5 mg/l.	
Componer		LD50 Oral			LD50 Dermal		nhalation
Zinc meta	l	LD50 = 630 mg/kg	(Rat)		Not listed	No	t listed
Toxicologically Syn Products Delayed and immec	-	No information		n short a	nd long-term expo	osure	
Irritation		No information	available				
Sensitization		No information	available				
Carcinogenicity		The table below	indicates	whether e	ach agency has lis	ted any ingredient a	as a carcinogen.
Component	CAS-N	lo IARC	1	NTP	ACGIH	OSHA	Mexico
Copper	7440-50			t listed	Not listed	Not listed	Not listed
Zinc metal	7440-66			t listed	Not listed	Not listed	Not listed
Mutagenic Effects		No information	available				
Reproductive Effec	No information	No information available.					
Developmental Effe	No information	No information available.					
Teratogenicity No information available.							
STOT - single expo STOT - repeated ex	None known None known						

Ecotoxicity

delayed

Aspiration hazard

Other Adverse Effects

Endocrine Disruptor Information

12. Ecological information

The toxicological properties have not been fully investigated.

Symptoms / effects, both acute and No information available

No information available

No information available

Contains a substance which is:. Very toxic to aquatic organisms. The product contains following substances which are hazardous for the environment. May cause long-term adverse effects in the environment. Do not allow material to contaminate ground water system.

96h static (Pseudokirchneriella subcapitata)flow-through (Oncorhynchus mykiss)Static (Daphnia magna)EC50: 0.0426 - 0.0535 mg/L, 72h static (Pseudokirchneriella subcapitata)LC50: = 1.25 mg/L, 96h static (Lepomis macrochirus) LC50: = 0.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 0.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.112 mg/L, 96h flow-through (Poecilia reticulata) LC50: = 0.2 mg/L, 96h flow-through (Pimephales promelas) LC50: < 0.3 mg/L, 96h static (Cyprinus carpio) LC50: = 0.3 mg/L, 96h flow-through Pimephales promelas) LC50: < 0.3 mg/L, 96h static (Pimephales promelas)Static (Daphnia magna)Zinc metalEC50: 0.09 - 0.125 mg/L, LC50: = 0.41 mg/L, 96hNot listedEC50: 0.139 - 0.908 mg/L	Component	Freshwater Algae	Freshwater Fish	Microtox	Water Flea
T2h static (Pseudokirchneriella subcapitata) static (Oncorhynchus mykiss) 48h Static (Daphnia mağn EC50: 0.11 - 0.271 mg/L, 96h static 96h static mykiss) LC50: - 0.58 mg/L, 96h flow-through (Pimephales promelas) 48h Static (Daphnia mağn LC50: 0.11 - 0.271 mg/L, 96h static 96h flow-through (Pimephales promelas) LC50: - 0.58 mg/L, 96h flow-through (Pimephales promelas) 12C50: = 0.56 mg/L, 96h flow-through (Pimephales promelas) 12C50: = 0.56 mg/L, 96h static (Pimephales promelas) LC50: = 0.45 mg/L, 96h static (Cyprinus carpio) LC50: = 3.05 mg/L, 96h static (Cyprinus carpio) 12C50: = -0.56 mg/L, 96h semi-static (Cyprinus carpio) LC50: = -0.56 mg/L, 96h stemi-static (Cyprinus carpio) LC50: = -0.54 mg/L, 96h semi-static (Cyprinus carpio) LC50: = -0.54 mg/L, 96h semi-static (Cyprinus carpio) LC50: = -0.54 mg/L, 96h flow-through (Oncorhynchus mykiss) Persistence and Degradability Insoluble in water May persist Bioaccumulation/ Accumulation No information available.	Copper	96h static (Pseudokirchneriella subcapitata) EC50: 0.0426 - 0.0535 mg/L, 72h static (Pseudokirchneriella	mykiss) LC50: = 1.25 mg/L, 96h static (Lepomis macrochirus) LC50: = 0.3 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 0.8 mg/L, 96h static (Cyprinus carpio) LC50: = 0.112 mg/L, 96h flow-through (Poecilia reticulata) LC50: = 0.2 mg/L, 96h flow-through (Pimephales promelas) LC50: 0.0068 - 0.0156 mg/L, 96h (Pimephales promelas) LC50: < 0.3 mg/L, 96h static		EC50: = 0.03 mg/L, 48h Static (Daphnia magna)
Bioaccumulation / Accumulation No information available.	Zinc metal	72h static (Pseudokirchneriella subcapitata) EC50: 0.11 - 0.271 mg/L, 96h static (Pseudokirchneriella	static (Oncorhynchus mykiss) LC50: = 0.59 mg/L, 96h semi-static (Oncorhynchus mykiss) LC50: 2.16 - 3.05 mg/L, 96h flow-through (Pimephales promelas) LC50: 0.211 - 0.269 mg/L, 96h semi-static (Pimephales promelas) LC50: = 2.66 mg/L, 96h static (Pimephales promelas) LC50: = 30 mg/L, 96h static (Cyprinus carpio) LC50: = 0.45 mg/L, 96h semi-static (Cyprinus carpio) LC50: = 7.8 mg/L, 96h static (Cyprinus carpio) LC50: = 3.5 mg/L, 96h static (Lepomis macrochirus) LC50: = 0.24 mg/L, 96h flow-through (Oncorhynchus		EC50: 0.139 - 0.908 mg/L, 48h Static (Daphnia magna)
	-	-			
Iobility Is not likely mobile in the environment due its low water solubility.					
	lobility	Is not likely n	nobile in the environment d	lue its low water solubility.	

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

	14. Transport information				
DOT	Not regulated				
DOT TDG	Not regulated				
<u>IATA</u>	Not regulated				
IMDG/IMO	Not regulated				
15. Regulatory information					

United States of America Inventory

Component	CAS-No	TSCA	TSCA Inventory notification - Active/Inactive	TSCA - EPA Regulatory Flags
Copper	7440-50-8	Х	ACTIVE	-
Zinc metal	7440-66-6	Х	ACTIVE	-

Legend:

TSCA - Toxic Substances Control Act, (40 CFR Part 710) X - Listed

'-' - Not Listed

TSCA 12(b) - Notices of Export Not applicable

Component	CAS-No	TSCA 12(b) - Notices of Export
Zinc metal	7440-66-6	Section 5

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Australia (AICS), China (IECSC), Korea (ECL).

Component	CAS-No	DSL	NDSL	EINECS	PICCS	ENCS	AICS	IECSC	KECL
Copper	7440-50-8	Х	-	231-159-6	Х	Х	Х	Х	KE-08896
Zinc metal	7440-66-6	Х	-	231-175-3	Х	Х	Х	Х	KE-35518

U.S. Federal Regulations

SARA 313

Component	CAS-No	Weight %	SARA 313 - Threshold Values %
Copper	7440-50-8	70	1.0
Zinc metal	7440-66-6	30	1.0

SARA 311/312 Hazard Categories See section 2 for more information

CWA (Clean Water Act)

Component	CWA - Hazardous Substances	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants
Copper	-	-	Х	Х
Zinc metal	-	-	Х	Х

Clean Air Act Not applicable

OSHA - Occupational Safety and Not applicable Health Administration

CERCLA Not applicable

Component	Hazardous Substances RQs	CERCLA EHS RQs
Copper	5000 lb	-
Zinc metal	1000 lb	-

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know

Regulations					
Component	Massachusetts	New Jersey	Pennsylvania	Illinois	Rhode Island
Copper	Х	Х	Х	Х	Х
Zinc metal	X	Х	Х	-	Х

U.S. Department of Transportation

Reportable Quantity (RQ):	N
DOT Marine Pollutant	N
DOT Severe Marine Pollutant	Ν

U.S. Department of Homeland Security

This product does not contain any DHS chemicals.

Other International Regulations

Mexico - Grade

No information available

	16. Other information
Prepared By	Health, Safety and Environmental Department Email: tech@alfa.com www.alfa.com
Revision Date Print Date Revision Summary	25-Feb-2020 25-Feb-2020 SDS authoring systems update, replaces ChemGes SDS No. (26607).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS