

## **SAFETY DATA SHEET**

Version 6.5 Revision Date 04/12/2022 Print Date 10/08/2022

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### **1.1 Product identifiers**

Product name	<sup>:</sup> Sodium propionate
Product Number	: P1880
Brand	: Sigma
CAS-No.	: 137-40-6

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

```
Identified uses : Laboratory chemicals, Synthesis of substances
```

#### **1.3** Details of the supplier of the safety data sheet

1	Emergency telephone		
	Telephone Fax	-	+1 314 771-5765 +1 800 325-5052
	Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES

#### **1.4 Emergency telephone**

Emergency Phone #

: 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

#### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Eye irritation (Category 2A), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram



	Signal Word	Warning
	Hazard statement(s) H319	Causes serious eye irritation.
Sigma	Precautionary statement(s) P264 - P1880	Wash skin thoroughly after handling.
Sigilia	- F1000	

Page 1 of 8



P280 P305 + P351 + P338	Wear eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue
P337 + P313	rinsing. If eye irritation persists: Get medical advice/ attention.

#### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

#### **SECTION 3:** Composition/information on ingredients

#### 3.1 Substances : Propionic acidsodium salt Synonyms Formula : $C_3H_5NaO_2$ Molecular weight : 96.06 g/mol CAS-No. : 137-40-6 : 205-290-4 EC-No. Component Classification Concentration Sodium propionate Eye Irrit. 2A; H319 <= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

#### 4.1 Description of first-aid measures

#### **General advice**

Show this material safety data sheet to the doctor in attendance.

#### If inhaled

After inhalation: fresh air.

#### In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower.

#### In case of eye contact

After eye contact: rinse out with plenty of water. Call in ophthalmologist. Remove contact lenses.

#### If swallowed

After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

#### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

Sigma - P1880

Page 2 of 8



#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Foam Carbon dioxide (CO2) Dry powder

#### Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

#### 5.2 Special hazards arising from the substance or mixture

Carbon oxides Sodium oxides Combustible. Development of hazardous combustion gases or vapours possible in the event of fire.

#### 5.3 Advice for firefighters

In the event of fire, wear self-contained breathing apparatus.

#### 5.4 Further information

Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

#### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Advice for non-emergency personnel: Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.
- **6.2 Environmental precautions** Do not let product enter drains.
- **6.3 Methods and materials for containment and cleaning up** Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10).
- **6.4** Reference to other sections For disposal see section 13.

#### **SECTION 7: Handling and storage**

**7.1 Precautions for safe handling** For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

**Storage conditions** Tightly closed.

hygroscopic

#### Storage class Storage class (TRGS 510): 11: Combustible Solids

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

Sigma - P1880

Page 3 of 8



#### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### Ingredients with workplace control parameters

Contains no substances with occupational exposure limit values.

#### 8.2 Exposure controls

#### Appropriate engineering controls

Change contaminated clothing. Wash hands after working with substance.

#### **Personal protective equipment**

#### Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Safety glasses

#### **Body Protection**

protective clothing

#### **Respiratory protection**

For nuisance exposures use type P95 (US) or type P1 (EU EN 143) particle respirator.For higher level protection use type OV/AG/P99 (US) or type ABEK-P2 (EU EN 143) respirator cartridges. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Do not let product enter drains.

#### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: powder Color: white
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	pН	No data available
e)	Melting point/freezing point	Melting point/range: 285 - 286 °C (545 - 547 °F) - lit.
f)	Initial boiling point and boiling range	> 500 °C > 932 °F at 1,013.25 hPa - OECD Test Guideline 103
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	< 0.1 hPa at 20 °C (68 °F) - OECD Test Guideline 104
I)	Vapor density	No data available
Sigma - P1	880	Page 4 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



m)	Density	1.51 g/cm3 at 20 °C (68 °F) - OECD Test Guideline 109
	Relative density	1.5120 °C - OECD Test Guideline 109

n) Water solubility 500 q/l at 20 °C (68 °F) - OECD Test Guideline 105

- o) Partition coefficient: log Pow: < 0.3 at 20 °C (68 °F) OECD Test Guideline 117 n-octanol/water Bioaccumulation is not expected.
- p) Autoignition does not ignite temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties No data available
- t) Oxidizing properties none

# 9.2 Other safety information No data available

#### **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

No data available

**10.2 Chemical stability** The product is chemically stable under standard ambient conditions (room temperature) .

#### **10.3 Possibility of hazardous reactions** Violent reactions possible with: Strong oxidizing agents

## **10.4 Conditions to avoid**

no information available

- **10.5 Incompatible materials** No data available
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Acute toxicity LD50 Oral - Rat - male and female - > 6,500 mg/kg (OECD Test Guideline 401) LC50 Inhalation - Rat - 4 h - > 5,400 mg/l - dust/mist

Remarks: (RTECS)

Sigma - P1880

Page 5 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada



LD50 Dermal - Rabbit - male and female - > 2,000 mg/kg (OECD Test Guideline 402)

#### Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE) Result: No skin irritation - 42 min (OECD Test Guideline 439)

#### Serious eye damage/eye irritation

Eyes - In vitro study Result: Causes serious eye irritation. - 6 h (OECD Test Guideline 492)

#### **Respiratory or skin sensitization**

In vitro study Result: negative (OECD Test Guideline 442C)

#### Germ cell mutagenicity

Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Metabolic activation: with and without metabolic activation Method: OECD Test Guideline 471 Result: negative Test Type: Chromosome aberration test in vitro Test system: Chinese hamster fibroblasts Metabolic activation: without metabolic activation Method: OECD Test Guideline 473 Result: negative Remarks: (Lit.)

#### Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

#### **Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure** No data available

**Specific target organ toxicity - repeated exposure** No data available

#### Aspiration hazard

No data available

#### **11.2 Additional Information**

RTECS: UF7525000 irritant effects To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

Sigma - P1880

Page 6 of 8



Handle in accordance with good industrial hygiene and safety practice.

#### **SECTION 12: Ecological information**

#### 12.1 Toxicity

No data available

Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 80.6 mg/l - 72 h (OECD Test Guideline 201)

#### 12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 28 d Result: 92.9 % - Readily biodegradable. (OECD Test Guideline 301D)

- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available

#### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

**12.6 Endocrine disrupting properties** No data available

#### 12.7 Other adverse effects

Discharge into the environment must be avoided.

#### **SECTION 13: Disposal considerations**

#### **13.1 Waste treatment methods**

#### Product

Waste material must be disposed of in accordance with the national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

#### **SECTION 14: Transport information**

#### **DOT (US)** Not dangerous goods

#### IMDG

Sigma - P1880

Page 7 of 8



Not dangerous goods

#### ΙΑΤΑ

Not dangerous goods

#### Further information

Not classified as dangerous in the meaning of transport regulations.

#### **SECTION 15: Regulatory information**

#### SARA 302 Components

This material does not contain any components with a section 302 EHS TPQ.

#### SARA 313 Components

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

SARA 311/312 Hazards

No SARA Hazards

#### **Massachusetts Right To Know Components**

No components are subject to the Massachusetts Right to Know Act.

#### **SECTION 16: Other information**

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 6.5

Revision Date: 04/12/2022

Print Date: 10/08/2022

Sigma - P1880

Page 8 of 8

The life science business of Merck KGaA, Darmstadt, Germany operates as MilliporeSigma in the US and Canada

