

## **SAFETY DATA SHEET**

Version 8.1 Revision Date 01/18/2022 Print Date 10/21/2022

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

### **1.1 Product identifiers**

Id

Product name	<sup>:</sup> Bromine water, CP
Product Number	: 03-3390
Brand	: Katayama

### **1.2** Relevant identified uses of the substance or mixture and uses advised against

entified uses	:	Laboratory chemicals, Synthesis of substances	
---------------	---	---	--

### 1.3 Details of the supplier of the safety data sheet

Company	:	Sigma-Aldrich Inc. 3050 SPRUCE ST ST. LOUIS MO 63103 UNITED STATES
Telephone Fax	-	+1 314 771-5765 +1 800 325-5052

### 1.4 Emergency telephone

Emergency Phone # : 800-424-9300 CHEMTREC (USA) +1-703-527-3887 CHEMTREC (International) 24 Hours/day; 7 Days/week

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### GHS Classification in accordance with 29 CFR 1910 (OSHA HCS)

Acute toxicity, Inhalation (Category 4), H332 Skin irritation (Category 2), H315 Serious eye damage (Category 1), H318 Short-term (acute) aquatic hazard (Category 1), H400

For the full text of the H-Statements mentioned in this Section, see Section 16.

### 2.2 GHS Label elements, including precautionary statements

Pictogram

Signal word



Danger

Hazard statement(s) H315

Causes skin irritation.

Katayama - 03-3390

Page 1 of 10



H318 H332 H400	Causes serious eye damage. Harmful if inhaled. Very toxic to aquatic life.
Precautionary statement(s)	
P261	Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray.
P264	Wash skin thoroughly after handling.
P271	Use only outdoors or in a well-ventilated area.
P273	Avoid release to the environment.
P280	Wear protective gloves/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P305 + P351 + P338 +	IF IN EYES: Rinse cautiously with water for several minutes.
P310	Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.
P332 + P313	If skin irritation occurs: Get medical advice/ attention.
P362	Take off contaminated clothing and wash before reuse.
P391	Collect spillage.
P501	Dispose of contents/ container to an approved waste disposal plant.

### 2.3 Hazards not otherwise classified (HNOC) or not covered by GHS - none

### **SECTION 3: Composition/information on ingredients**

### 3.2 Mixtures

Component		Classification	Concentration
Bromine			
CAS-No. EC-No. Index-No.	7726-95-6 231-778-1 035-001-00-5	Acute Tox. 1; Skin Corr. 1A; Eye Dam. 1; Aquatic Acute 1; H330, H314, H318, H400 M-Factor - Aquatic Acute: 10	>= 1 - < 5 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

### 4.1 Description of first-aid measures

### General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. Move out of dangerous area.

### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

Katayama - 03-3390

Page 2 of 10



### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Continue rinsing eyes during transport to hospital.

### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

### **4.3 Indication of any immediate medical attention and special treatment needed** No data available

### **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

- **5.2** Special hazards arising from the substance or mixture Hydrogen bromide gas Not combustible.
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- **5.4 Further information** No data available

### **SECTION 6:** Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. For personal protection see section 8.
- **6.2 Environmental precautions** Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.
- **6.3 Methods and materials for containment and cleaning up** Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.
- **6.4 Reference to other sections** For disposal see section 13.

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

### Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist.

Katayama - 03-3390

Page 3 of 10



### Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

### Storage conditions

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### Storage stability

Recommended storage temperature 15 - 25 °C

### Storage class

Storage class (TRGS 510): 6.1A: Combustible, acute toxic Cat. 1 and 2 / very toxic hazardous materials

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### Ingredients with workplace control parameters

Ingredients with workplace control parameters					
Component	CAS-No.	Value	Control	Basis	
			parameters		
Bromine	7726-95-6	TWA	0.1 ppm	USA. ACGIH Threshold Limit	
				Values (TLV)	
		STEL	0.2 ppm	USA. ACGIH Threshold Limit	
				Values (TLV)	
		TWA	0.1 ppm	USA. NIOSH Recommended	
			0.7 mg/m3	Exposure Limits	
		ST	0.3 ppm	USA. NIOSH Recommended	
			2 mg/m3	Exposure Limits	
		TWA	0.1 ppm	USA. Occupational Exposure	
			0.7 mg/m3	Limits (OSHA) - Table Z-1	
			_	Limits for Air Contaminants	
		TWA	0.1 ppm	USA. OSHA - TABLE Z-1 Limits	
			0.7 mg/m3	for Air Contaminants -	
			_	1910.1000	
		STEL	0.3 ppm	USA. OSHA - TABLE Z-1 Limits	
			2 mg/m3	for Air Contaminants -	
				1910.1000	
		С	0.1 ppm	California permissible exposure	
			0.7 mg/m3	limits for chemical	
				contaminants (Title 8, Article	
				107)	

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Katayama - 03-3390

Page 4 of 10



### **Personal protective equipment**

### Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### **Skin protection**

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a fullface respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Color: dark brown
b)	Odor	No data available
c)	Odor Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	No data available
f)	Initial boiling point and boiling range	No data available
g)	Flash point	()No data available
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	No data available
k)	Vapor pressure	No data available
l) Katayama -	Vapor density 03-3390	No data available

Page 5 of 10



m) Density	1.04 g/cm3
------------	------------

- Relative density No data available
- n) Water solubility No data available
- o) Partition coefficient: No data available n-octanol/water
- p) Autoignition No data available temperature
- q) Decomposition No data available temperature
- r) Viscosity No data available
- s) Explosive properties Not classified as explosive.
- t) Oxidizing properties none

# 9.2 Other safety information No data available

### SECTION 10: Stability and reactivity

### **10.1 Reactivity** No data available

- **10.2 Chemical stability** Stable under recommended storage conditions.
- 10.3 Possibility of hazardous reactions No data available
- **10.4 Conditions to avoid** No data available
- **10.5 Incompatible materials** Strong oxidizing agents
- **10.6 Hazardous decomposition products** In the event of fire: see section 5

### **SECTION 11: Toxicological information**

### **11.1 Information on toxicological effects**

### Mixture

### **Acute toxicity**

Acute toxicity estimate Oral - > 5,000 mg/kg (Calculation method) Acute toxicity estimate Inhalation - 4 h - 16.7 mg/l - vapor(Calculation method)

Dermal: No data available

### Skin corrosion/irritation No data available

Katayama - 03-3390

Page 6 of 10



### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitization

No data available

### Germ cell mutagenicity No data available

# Carcinogenicity

- IARC: No ingredient of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- NTP: No ingredient of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- OSHA: No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

### **Reproductive toxicity**

No data available

**Specific target organ toxicity - single exposure** No data available

Specific target organ toxicity - repeated exposure No data available

**Aspiration hazard** No data available

### **11.2 Additional Information**

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence

### Components

### Bromine

Acute toxicity

LD50 Oral - Rat - 2,600 mg/kg LC50 Inhalation - Mouse - female - 4 h - 0.1427 mg/l - vapor Remarks: (ECHA) Dermal: No data available

### Skin corrosion/irritation

Causes severe burns. Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

### **Serious eye damage/eye irritation** Causes serious eye damage.

**Respiratory or skin sensitization** No data available

### Germ cell mutagenicity

In vivo tests did not show mutagenic effects

Katayama - 03-3390

Page 7 of 10



Test Type: Ames test Test system: Escherichia coli/Salmonella typhimurium Result: positive Test system: mouse lymphoma cells Result: positive Method: US-EPA Species: Mouse - male and female - Bone marrow Result: negative

### Carcinogenicity

No data available

### **Reproductive toxicity** No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

### **Aspiration hazard**

No data available

### **SECTION 12: Ecological information**

### 12.1 Toxicity

- Mixture No data available
- 12.2 Persistence and degradability No data available
- 12.3 Bioaccumulative potential No data available
- **12.4 Mobility in soil** No data available
- 12.5 Results of PBT and vPvB assessment PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### **12.6 Endocrine disrupting properties** No data available

### 12.7 Other adverse effects

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Very toxic to aquatic life.

### Components

### Bromine

Toxicity to fish

static test LC50 - Lepomis macrochirus (Bluegill sunfish) - 0.54 mg/l - 96 h Remarks: (ECOTOX Database)

Katayama - 03-3390

Page 8 of 10



### **SECTION 13:** Disposal considerations

### **13.1 Waste treatment methods**

### Product

Offer surplus and non-recyclable solutions to a licensed disposal company. Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber.

### **Contaminated packaging**

Dispose of as unused product.

TION 14: Transport information		
<b>DOT (US)</b> UN number: 1744 Class: 8 (6.11) Proper shipping name: Bromine Reportable Quantity (RQ): Poison Inhalation Hazard: Hazard Zor	Packing group: I	
<b>IMDG</b> UN number: 1744 Class: 8 (6.1) Proper shipping name: BROMINE Marine pollutant : yes	Packing group: I	EMS-No: F-A, S-B
<b>IATA</b> UN number: 1744 Class: 8 (6.1) Proper shipping name: Bromine		

Proper shipping name: Bromine IATA Passenger: Not permitted for transport IATA Cargo: Not permitted for transport

### **SECTION 15: Regulatory information**

### SARA 302 Components

The following components are subject to reporting levels established by SARA Title III,Section 302:BromineCAS-No.Revision Date

CAS-NO.	Revision Date
7726-95-6	2008-11-03

### SARA 313 Components

The following components are subject to reporting levels established by SARA Title III, Section 313:

	CAS-No.	Revision Date
Bromine	7726-95-6	2008-11-03


### SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

### Massachusetts Right To Know Components

Katayama - 03-3390

Page 9 of 10





Bromine	CAS-No. 7726-95-6	Revision Date 2008-11-03
Pennsylvania Right To Know Components water	CAS-No. 7732-18-5	Revision Date
Bromine	7726-95-6	2008-11-03
water	CAS-No. 7732-18-5	Revision Date
Bromine	7726-95-6	2008-11-03
New Jersey Right To Know Components water	CAS-No. 7732-18-5	Revision Date
Bromine	7726-95-6	2008-11-03

### **California Prop. 65 Components**

This product does not contain any chemicals known to the State of California to cause cancer, birth, or any other reproductive defects.

### **SECTION 16: Other information**

### Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Version: 8.1

Revision Date: 01/18/2022

Print Date: 10/21/2022

Katayama - 03-3390

Page 10 of 10



